CEMENT RETAINED RESTORATIONS | CASTABLE ABUTMENTS



DESIGN FEATURES	 Plastic castable abutments and plastic press-on metal base abutments (ucla) Straight and angled abutments: 15° and 25° Wide range of diameters and lengths Prefabricated with various collar heights
CLINICAL BENEFITS	 For fabrication of cement or screw retained abutments For dentist/technician customization Wide range of emergence profile abutment options For crown or bridge restorations
MATERIAL	Plastic: Delrin Metal base: Titanium Alloy (Ti-6Al-4V ELI) or Cobalt-Chrome Alloy

ORDERING INFORMATION

STRAIGHT ANATOMIC		ANGLED ANATOMIC					
Straight	L (mm)	Angle 15°		Angle 25°		L (mm)	L1 (mm)
NM-C4001	9	NM-C3001		NM-C3201		9.5	1
NM-C4002	10	NM-C3002		WM-C3202		10.5	2
	11					11.5	3
NM-C4003		NM-C3003		NM-C	3203		
Hexed	Non-Hexed	L (mm) 8.5	Ø D (mm) 4.5	An	gle 15°	L (mm) 8.5	Ø D (mm 4.5
NM-C2004	NM-C2003			NM	-C2005		
NM-C1002	NM-C1001	10.5	3.25		NM-S8324 Included with all abutments & available separately		with ients le
Titanium Base	Co-Cr Base	L (mm)	Ø D (mm)				
Ļ		10.5	4.5				
NM-C2001	NM-C2002				Pr	rosthetics	/ 45

